

ReadSpeaker TextAid VPAT 2.5 Accessibility Conformance Report International Edition

Based on VPAT® Version 2.5Rev INT

Name of Product/Version: ReadSpeaker TextAid, version 4.19.1 and higher; current version 4.19.1

Report Date: 26 May 2026

Product Description: ReadSpeaker TextAid is a web-based personal literacy support tool that enables users to listen to texts and documents using text-to-speech technology within a standard web browser. It also offers useful study tools.

Contact Information: support@readspeaker.com

Notes: Only relevant sections are included. Hardware, Electronic Documents, non-web Software, and Authoring Tool functionality are out of scope and not included or marked as Not Applicable. TextAid does not provide synchronized

audio/video media (prerecorded or live). WCAG Level AAA criteria were not evaluated and are omitted from this report. Likewise, support and documentation for TextAid are omitted.

Evaluation Methods Used: Accessibility conformance was evaluated using a combination of manual testing and automated checks. Manual testing included keyboard-only operation and focus order review in supported browser/OS environments. Findings are tracked and addressed through ongoing development.

Report revision history: Previous reports were done in August 2025 (VPAT 2.4), June 2021 (VPAT 2.4), September 2019 (VPAT 1.3), and November 2015 (VPAT 1.3).

“Voluntary Product Accessibility Template” and “VPAT” are registered service marks of the Information Technology Industry Council (ITI).

Contents

[ReadSpeaker TextAid VPAT 2.5 Accessibility Conformance Report International Edition](#)

[Contents](#)

[Applicable Standards/Guidelines](#)

[Terms](#)

[WCAG 2.x Report](#)

[Table 1: Success Criteria, Level A](#)

[Table 2: Success Criteria, Level AA](#)

[Revised Section 508 Report](#)

[Chapter 3: Functional Performance Criteria \(FPC\)](#)

[Chapter 4: Hardware](#)

[Chapter 5: Software](#)

[Chapter 6: Support Documentation and Service](#)

[EN 301 549 Report](#)

[Clause 4: Functional Performance Statements \(FPS\)](#)

[Clause 5: Generic Requirements](#)

[Clause 6: ICT with Two-Way Voice Communication](#)

[Clause 7: ICT with Video Capabilities](#)

[Clause 8: Hardware](#)

[Clause 9: Web \(see WCAG 2.x section\)](#)

[Clause 10: Non-Web Documents](#)

[Clause 11: Software](#)

[Clause 12: Documentation and Support Services](#)

[Clause 13: ICT Providing Relay or Emergency Service Access](#)

[Legal Disclaimer \(ReadSpeaker\)](#)

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A Yes Level AA Yes Level AAA No
Web Content Accessibility Guidelines 2.1	Level A Yes Level AA Yes Level AAA No
Web Content Accessibility Guidelines 2.2	Level A Yes Level AA Yes Level AAA No
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	Yes
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) and EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	Yes

Terms

The terms used in the conformance level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially supports:** Some functionality of the product does not meet the criterion.
- **Does not support:** The majority of product functionality does not meet the criterion.
- **Not applicable:** The criterion is not relevant to the product.
- **Not evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549:
 - Clause 9 - Web
 - Clauses 10.1-10.4 of Clause 10 - Non-Web documents
 - Clauses 11.1-11.4 and 11.8.2 of Clause 11 - Software
 - Clauses 12.1.2 and 12.2.4 of Clause 12 - Documentation and support services
- Revised Section 508:
 - Chapter 5 - 501.1 Scope and 504.2 Content Creation or Editing
 - Chapter 6 - 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.1 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes: Conformance level refers to Web, as this is the only technology that is relevant to the product.

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially supports	TextAid uses standard HTML and WAI-ARIA techniques for providing text equivalents of non-text elements. Some purely decorative elements that have no functional or informational purpose may not provide a text alternative. A minor number of items in the Library dialog and text document toolbar are missing accessible names but have title attributes (this is being fixed for a near-future release).

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.2.1 (Web)• 10.1.2.1 (Non-web document)• 11.1.2.1.1 (Open Functionality Software)• 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Not Applicable	TextAid does not contain prerecorded audio.

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.2 Captions (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.2.2 (Web)• 10.1.2.2 (Non-web document)• 11.1.2.2 (Open Functionality Software)• 11.1.2.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Not Applicable	TextAid does not contain prerecorded audio.

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.2.3 (Web)• 10.1.2.3 (Non-web document)• 11.1.2.3.1 (Open Functionality Software)• 11.1.2.3.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Not Applicable	TextAid does not contain prerecorded audio.

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.3.1 (Web)• 10.1.3.1 (Non-web document)• 11.1.3.1.1 (Open Functionality Software)• 11.1.3.1.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	Information, structure, and relationships in the TextAid UI are programmatically determinable. Headings, lists, form controls, and groups of related controls are implemented using appropriate semantic markup and accessible labeling (e.g. labels/aria-labelledby as needed), so relationships are conveyed to assistive technologies and are not dependent on visual presentation.

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.3.2 (Web)• 10.1.3.2 (Non-web document)• 11.1.3.2.1 (Open Functionality Software)• 11.1.3.2.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	TextAid generates semantically-correct markup to allow assistive technologies to programmatically assess the right sequence of content and controls.

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.3.3 (Web)• 10.1.3.3 (Non-web document)• 11.1.3.3 (Open Functionality Software)• 11.1.3.3 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	TextAid uses WAI-ARIA techniques to ensure that components are correctly conveyed to assistive technologies and do not rely on sensory characteristics.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.4.1 (Web)• 10.1.4.1 (Non-web document)• 11.1.4.1 (Open Functionality Software)• 11.1.4.1 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	Color is not used as the only visual means of conveying information in the TextAid UI. During playback, visual highlighting is provided as a supplementary aid and can be configured by the end user to use non-color cues (e.g. underlining) and alternative highlight styles, so users who cannot perceive color differences can still identify the current reading position.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.4.2 (Web)• 10.1.4.2 (Non-web document)• 11.1.4.2 (Open Functionality Software)• 11.1.4.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Not Applicable	Not Applicable. TextAid does not automatically play audio; text-to-speech playback is initiated by the user.

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.1.1 (Web)• 10.2.1.1 (Non-web document)• 11.2.1.1.1 (Open Functionality Software)• 11.2.1.1.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Partially supports	Generally, TextAid navigation works with the browser's standard navigation keys (arrow keys, tab, enter, etc.). However, some functionality of TextAid, such as Annotations, are not designed to be operated with a keyboard.

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.1.2 (Web)• 10.2.1.2 (Non-web document)• 11.2.1.2 (Open Functionality Software)• 11.2.1.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	TextAid users cannot be trapped in content requiring the use of other input methods.

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.1.4 (Web)• 10.2.1.4 (Non-web document)• 11.2.1.4.1 (Open Functionality Software)• 11.2.1.4.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	TextAid does not provide global single-character keyboard shortcuts.

Criteria	Conformance Level	Remarks and Explanations
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.2.1 (Web)• 10.2.2.1 (Non-web document)• 11.2.2.1 (Open Functionality Software)• 11.2.2.1 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Not applicable	TextAid has no timing functions and thus no content that is altered on “time out”.

Criteria	Conformance Level	Remarks and Explanations
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.2.2 (Web)• 10.2.2.2 (Non-web document)• 11.2.2.2 (Open Functionality Software)• 11.2.2.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	TextAid uses moving and scrolling elements to show reading position and provide text highlighting in parallel with the text-to-speech audio. All movement is controlled by the user and never starts without the user's input.

Criteria	Conformance Level	Remarks and Explanations
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.3.1 (Web)• 10.2.3.1 (Non-web document)• 11.2.3.1 (Open Functionality Software)• 11.2.3.1 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	TextAid does not include flashing or strobing content.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.4.1 (Web)• 10.2.4.1 (Non-web document) – Does not apply• 11.2.4.1 (Open Functionality Software) – Does not apply• 11.2.4.1 (Closed Software) – Does not apply• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software) – Does not apply to non-web software• 504.2 (Authoring Tool)• 602.3 (Support Docs) – Does not apply to non-web docs	Supports	TextAid does not introduce unavoidable repeated blocks.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.4.2 (Web)• 10.2.4.2 (Non-web document)• 11.2.4.2 (Open Functionality Software) - Does not apply• 11.2.4.2 (Closed Software) – Does not apply• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	All parts of the TextAid web application have titles that describe their topic or purpose.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.4.3 (Web)• 10.2.4.3 (Non-web document)• 11.2.4.3 (Open Functionality Software)• 11.2.4.3 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Partially supports	Keyboard focus moves through the TextAid user interface in a logical and meaningful order for the majority of elements.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.4.4 (Web)• 10.2.4.4 (Non-web document)• 11.2.4.4 (Open Functionality Software)• 11.2.4.4 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	Links provided within the TextAid UI have descriptive text that identifies their purpose. This includes external links (e.g., provider attribution and company links) and internal help navigation (e.g., table-of-contents links) where the link text reflects the destination or referenced section.

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.1 Pointer Gestures (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.5.1 (Web)• 10.2.5.1 (Non-web document)• 11.2.5.1 (Open Functionality Software)• 11.2.5.1 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	<p>TextAid does not require multipoint or path-based pointer gestures.</p> <p>Functionality is operable with simple pointer input, and operations such as moving/resizing dialogs do not rely on path-dependent gestures.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.5.2 (Web)• 10.2.5.2 (Non-web document)• 11.2.5.2 (Open Functionality Software)• 11.2.5.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Pointer interactions in TextAid are triggered on pointer up (e.g. mouseup/click) rather than on pointer down, allowing users to cancel by moving the pointer away before release. (With some Annotations tools, pointer-down starts drawing a figure, which is standard behavior for such tools.)

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.5.3 (Web)• 10.2.5.3 (Non-web document)• 11.2.5.3.1 (Open Functionality Software)• 11.2.5.3.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially supports	Where controls have visible labels in TextAid, the accessible name includes the same text. There are some exceptions where a button lacks an accessible name, which will be corrected in the near future.

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.5.4 (Web)• 10.2.5.4 (Non-web document)• 11.2.5.4 (Open Functionality Software)• 11.2.5.4 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not Applicable	TextAid does not provide functionality that is triggered by device motion or user motion (e.g., shaking or tilting the device).

Criteria	Conformance Level	Remarks and Explanations
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.3.1.1 (Web)• 10.3.1.1 (Non-web document)• 11.3.1.1.1 (Open Functionality Software)• 11.3.1.1.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	The language of the currently visible document or section of TextAid can always be determined programmatically via lang attributes in the markup.

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.3.2.1 (Web)• 10.3.2.1 (Non-web document)• 11.3.2.1 (Open Functionality Software)• 11.3.2.1 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	Change of focus alone never triggers a change of context in TextAid.

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Changing settings or providing input in the TextAid UI does not cause unexpected changes of context. Any updates occur within the current view and do not automatically trigger navigation, open new dialogs, or move focus without informing the user.
<p>3.2.6 Consistent Help (Level A 2.2 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Supports	When applicable, help in TextAid is consistent throughout different pages.

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.3.3.1 (Web)• 10.3.3.1 (Non-web document)• 11.3.3.1.1 (Open Functionality Software)• 11.3.3.1.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	All errors in TextAid are described to the user in text.

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.2 Labels or Instructions (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	User input controls are described by the means of labels or instructions in TextAid. TextAid uses standard HTML and WAI-ARIA attributes to associate labels and instructions to user interface elements.
<p>3.3.7 Redundant Entry (Level A 2.2 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Not Applicable	TextAid does not include user text entry or multi-step processes that would require redundant data entry.

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.1 Parsing (Level A)</p> <p>Applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer ‘Supports’</p> <p>WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.4.1.1 (Web)• 10.4.1.1 (Non-web document)• 11.4.1.1.1 (Open Functionality Software)• 11.4.1.1.2 (Closed Software) – Does not apply• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	<p>For WCAG 2.0 and 2.1, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.4.1.2 (Web)• 10.4.1.2 (Non-web document)• 11.4.1.2.1 (Open Functionality Software)• 11.4.1.2.2 (Closed Software) – Does not apply• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	TextAid uses standard HTML and WAI-ARIA attributes to describe the identity, role, operation, and state of user interface elements.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Not Applicable. TextAid does not provide synchronized audio/video media (prerecorded or live).

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.2.5 (Web)• 10.1.2.5 (Non-web document)• 11.1.2.5 (Open Functionality Software)• 11.1.2.5 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Not Applicable	Not Applicable. TextAid does not provide synchronized audio/video media (prerecorded or live).

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.4 Orientation (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.3.4 (Web)• 10.1.3.4 (Non-web document)• 11.1.3.4 (Open Functionality Software)• 11.1.3.4 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	TextAid does not restrict use to a single display orientation. The webReader UI remains usable in both portrait and landscape orientations.

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.3.5 (Web)• 10.1.3.5 (Non-web document)• 11.1.3.5.1 (Open Functionality Software)• 11.1.3.5.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not Applicable	The TextAid application UI itself does not include user input fields that collect personal information and therefore does not use input-purpose identification (autocomplete) within its UI.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.4.3 (Web)• 10.1.4.3 (Non-web document)• 11.1.4.3 (Open Functionality Software)• 11.1.4.3 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	Text in the TextAid UI meets the minimum contrast requirements.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.4.4 (Web)• 10.1.4.4 (Non-web document)• 11.1.4.4.1 (Open Functionality Software)• 11.1.4.4.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	TextAid supports standard zoom capabilities built into modern web browsers and no functionality is lost when zoomed to 200%. Documents in layout mode can be zoomed with internal zoom buttons.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.4.5 (Web)• 10.1.4.5 (Non-web document)• 11.1.4.5.1 (Open Functionality Software)• 11.1.4.5.2 (Closed Software) – Does not apply• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	TextAid's document viewport (Layout Mode) contains images of text, but this can be switched to Text Mode by choosing the text viewport.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.4.10 (Web)• 10.1.4.10 (Non-web document)• 11.1.4.10 (Open Functionality Software)• 11.1.4.10 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially supports	The majority of TextAid UI views reflow without loss of information or functionality and without requiring two-dimensional scrolling.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.4.11 (Web)• 10.1.4.11 (Non-web document)• 11.1.4.11 (Open Functionality Software)• 11.1.4.11 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Visual indicators for interactive components in the webReader UI (e.g., control boundaries, icons, selection and focus indicators) meet the minimum non-text contrast requirements, ensuring controls remain perceivable against adjacent colors.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.12 Text Spacing (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.4.12 (Web)• 10.1.4.12 (Non-web document)• 11.1.4.12 (Open Functionality Software)• 11.1.4.12 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	TextAid supports user-adjusted text spacing.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.4.13 (Web)• 10.1.4.13 (Non-web document)• 11.1.4.13 (Open Functionality Software)• 11.1.4.13 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	TextAid provides tooltips that may appear on keyboard focus. These tooltips remain visible until focus moves and can be dismissed without moving focus (e.g., via Escape).

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.4.5 (Web)• 10.2.4.5 (Non-web document) – Does not apply• 11.2.4.5 (Open Functionality Software) – Does not apply• 11.2.4.5 (Closed Software) – Does not apply• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software) – Does not apply to non-web software• 504.2 (Authoring Tool)• 602.3 (Support Docs) – Does not apply to non-web docs	Not Applicable	Although TextAid is a web application based on HTML, CSS and Javascript, it is not a web page and does not have navigation links in the traditional sense.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.4.6 (Web)• 10.2.4.6 (Non-web document)• 11.2.4.6 (Open Functionality Software)• 11.2.4.6 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	Headings and labels in the TextAid UI are descriptive and identify the topic, purpose, or function of the associated content and controls.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.4.7 (Web)• 10.2.4.7 (Non-web document)• 11.2.4.7 (Open Functionality Software)• 11.2.4.7 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	Keyboard focus is visually indicated for all interactive elements in the TextAid UI.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Partially supports	The focused element is generally indicated while navigating with the keyboard in TextAid. In some cases, indication may be lost after making a selection and navigating to a new part of the application.
<p>2.5.7 Dragging Movements (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Supports	Most TextAid functionality does not rely on dragging movements and is operable using simple pointer input. Dragging is only used when text-selecting and when using the Highlighter and Annotations tools, in which dragging is essential. It's also used to move the calculator.
<p>2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Supports	Interactive controls in the TextAid UI provide a minimum target size consistent with WCAG 2.2 requirements (at least 24×24 CSS pixels or equivalent spacing/offset), supporting reliable pointer and touch operation.

Criteria	Conformance Level	Remarks and Explanations
<p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.3.1.2 (Web)• 10.3.1.2 (Non-web document)• 11.3.1.2 (Open Functionality Software) – Does not apply• 11.3.1.2 (Closed Software) – Does not apply• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Supports	Any deviating language in parts of TextAid are indicated with HTML lang attributes.

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.3 Consistent Navigation (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.3.2.3 (Web)• 10.3.2.3 (Non-web document) – Does not apply• 11.3.2.3 (Open Functionality Software) – Does not apply• 11.3.2.3 (Closed Software) – Does not apply• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software) – Does not apply to non-web software• 504.2 (Authoring Tool)• 602.3 (Support Docs) – Does not apply to non-web docs	Supports	The user interface of TextAid has a consistent structure. Individual menus and other components are rarely used in more than one place.

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.4 Consistent Identification (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.3.2.4 (Web)• 10.3.2.4 (Non-web document) – Does not apply• 11.3.2.4 (Open Functionality Software) – Does not apply• 11.3.2.4 (Closed Software) – Does not apply• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software) – Does not apply to non-web software• 504.2 (Authoring Tool)• 602.3 (Support Docs) – Does not apply to non-web docs	Supports	In the rare cases where TextAid components are repeated, they are identified consistently.

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.3 Error Suggestion (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.3.3.3 (Web)• 10.3.3.3 (Non-web document)• 11.3.3.3 (Open Functionality Software)• 11.3.3.3 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Not Applicable	TextAid does not include user text entry or validation-based input errors that would require error correction suggestions.

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	TextAid does not include legal commitments, financial transactions, or submission of critical user data within its UI.
<p>3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Supports	TextAid only requires login by password which can be handled by a password manager.

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.3 Status Messages (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.4.1.3 (Web)• 10.4.1.3 (Non-web document)• 11.4.1.3 (Open Functionality Software)• 11.4.1.3 (Closed Software) – Does not apply• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs)	Supports	Status messages presented by TextAid (e.g., confirmations, loading/progress feedback, and error notifications) are programmatically exposed to assistive technologies (e.g., via appropriate ARIA live regions/roles) so they can be announced without moving keyboard focus.

Revised Section 508 Report

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports	TextAid uses standard HTML and ARIA attributes to convey the identity, operation, and state of user interface elements to Assistive Technologies, and to let the user operate TextAid.
302.2 With Limited Vision	Supports	TextAid supports standard browser magnification and contrast adjustments.
302.3 Without Perception of Color	Supports	Using TextAid does not require perception of color.

Criteria	Conformance Level	Remarks and Explanations
302.4 Without Hearing	Supports	Although TextAid is a text-to-speech product, people with no hearing can control all its features without hearing the speech.
302.5 With Limited Hearing	Supports	Although TextAid is a text-to-speech product, people with limited hearing can control all its features without hearing the speech.
302.6 Without Speech	Supports	TextAid uses speech input only in its Dictation tool, which is an optional feature.
302.7 With Limited Manipulation	Supports	Usage of TextAid does not require fine motor controls or simultaneous actions.
302.8 With Limited Reach and Strength	Supports	TextAid can be used well by users with limited reach and strength.

Criteria	Conformance Level	Remarks and Explanations
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	TextAid is directly targeted towards people with limited language, cognitive, and learning abilities.

Chapter 4: [Hardware](#)

Notes: ReadSpeaker TextAid is a web application and is not subject to the requirements of this section.

Chapter 5: [Software](#)

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG 2.x section
<i>502 Interoperability with Assistive Technology</i>		
502.2.1 User Control of Accessibility Features	Not applicable	TextAid is not considered platform software as defined by Section 508.

Criteria	Conformance Level	Remarks and Explanations
502.2.2 No Disruption of Accessibility Features	Supports	TextAid does not disrupt accessibility features in the underlying platforms (OS or browser).
502.3 Accessibility Services		
502.3.1 Object Information	Partially supports	TextAid uses WAI-ARIA attributes to describe the role, state, and description of user interface elements. A minor number of items in the Library dialog are missing accessible names but have title attributes (this is being fixed for a near-future release).
502.3.2 Modification of Object Information	Supports	TextAid uses standard HTML or ARIA object roles for maximum compatibility with assistive technologies.

Criteria	Conformance Level	Remarks and Explanations
502.3.3 Row, Column, and Headers	Supports	TextAid only uses html tables to list files and user admin data (and similar), and in those cases the rows, columns, headings and cells are programmatically determinable.
502.3.4 Values	Supports	TextAid uses standard HTML and ARIA object attributes to ensure that values are possible to determine with assistive technology.
502.3.5 Modification of Values	Supports	TextAid uses standard HTML and ARIA object attributes to ensure that values are possible to modify with assistive technology.
502.3.6 Label Relationships	Supports	All label relationships in TextAid are set via standard HTML and possible to determine with assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.3.7 Hierarchical Relationships	Partially supports	Object hierarchies in TextAid are based on standard HTML and generally possible to determine with assistive technology. In some cases, an element may be placed in a non-standard location in the DOM hierarchy.
502.3.8 Text	Supports	All objects in TextAid adhere to HTML standards and their content and properties can be programmatically determined.
502.3.9 Modification of Text	Supports	Text in TextAid is placed in standard HTML elements and can be modified programmatically by the user.
502.3.10 List of Actions	Supports	All objects in TextAid adhere to HTML standards and thus all actions can be programmatically determined.
502.3.11 Actions on Objects	Supports	All objects in TextAid adhere to HTML standards and assistive technology can therefore execute available actions on all objects.

Criteria	Conformance Level	Remarks and Explanations
502.3.12 Focus Cursor	Supports	All objects in TextAid adhere to HTML standards and assistive technology can therefore determine focus of cursor, text insertion point or selection of GUI components.
502.3.13 Modification of Focus Cursor	Supports	All objects in TextAid adhere to HTML standards and assistive technology can therefore set cursor focus.
502.3.14 Event Notification	Supports	Notifications of events in TextAid are given with standard HTML components and are available to assistive technologies.
502.4 Platform Accessibility Features	Not applicable	TextAid is not platform software as defined by Section 508.
<u>503 Applications</u>		
503.2 User Preferences	Supports	TextAid generally respects user preferences from the browser or OS. If a user enables high contrast mode, TextAid will display with high contrast.

Criteria	Conformance Level	Remarks and Explanations
503.3 Alternative User Interfaces	Not applicable	TextAid does not have alternative user interfaces.
503.4 User Controls for Captions and Audio Description		
503.4.1 Caption Controls	Not applicable	TextAid does not provide video.
503.4.2 Audio Description Controls	Not applicable	TextAid does not provide video.
<u>504 Authoring Tools</u>		
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.x section	See information in WCAG 2.x section.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not applicable	TextAid does not save content in new formats.
504.2.2 PDF Export	Not applicable	TextAid does not export PDF 1.7.
504.3 Prompts	Not applicable	TextAid does not create content to an extent that makes WCAG content relevant.
504.4 Templates	Not applicable	TextAid does not provide templates.

Chapter 6: [Support Documentation and Service](#)

Notes: This ACR only documents TextAid itself, not its FAQ or other documentation. This section is not included.

EN 301 549 Report

Clause [4: Functional Performance Statements \(FPS\)](#)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Supports	TextAid uses standard HTML and ARIA attributes to convey the identity, operation, and state of user interface elements to Assistive Technologies, and to let the user operate TextAid.

Criteria	Conformance Level	Remarks and Explanations
4.2.2 Usage with limited vision	Supports	TextAid supports standard browser magnification and contrast adjustments.
4.2.3 Usage without perception of colour	Supports	Using TextAid does not require perception of color.
4.2.4 Usage without hearing	Supports	Although TextAid is a text-to-speech product, people with no hearing can control all its features without hearing the speech.

Criteria	Conformance Level	Remarks and Explanations
4.2.5 Usage with limited hearing	Supports	Although TextAid is a text-to-speech product, people with limited hearing can control all its features without hearing the speech.
4.2.6 Usage with no or limited vocal capability	Supports	TextAid requires no vocal capability.
4.2.7 Usage with limited manipulation or strength	Supports	Usage of TextAid only requires basic mouse and keyboard (or basic touch screen) interaction. It does not require fine motor controls, simultaneous actions or much strength.

Criteria	Conformance Level	Remarks and Explanations
4.2.8 Usage with limited reach	Supports	TextAid can be used well by users with limited reach.
4.2.9 Minimize photosensitive seizure triggers	Supports	TextAid does not have any photosensitive seizure triggers (unless the user chooses to upload a document that includes such material).
4.2.10 Usage with limited cognition, language or learning	Supports	TextAid is directly targeted towards people with limited language, cognitive and learning abilities

Criteria	Conformance Level	Remarks and Explanations
4.2.11 Privacy	Supports	TextAid maintains the same level of privacy for all users, regardless of accessibility needs.

Clause 5: Generic Requirements

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality		
5.1.2 General		
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13

Criteria	Conformance Level	Remarks and Explanations
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access		
5.1.3.1 Audio output of visual information	Not applicable	TextAid is a web application that is run in a standard web browser and has no closed functionality (functionality inaccessible to screen-readers).
5.1.3.2 Auditory output delivery including speech	Not applicable	TextAid has no closed functionality (see previous item).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.3 Auditory output correlation	Not applicable	TextAid has no closed functionality.
5.1.3.4 Speech output user control	Not applicable	TextAid has no closed functionality.
5.1.3.5 Speech output automatic interruption	Not applicable	TextAid has no closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.6 Speech output for non-text content	Partially supports	All non-text content has text alternatives (alt text/ARIA labels) that are accessible to screen readers, providing speech output for non-text content. A minor number of items in the Library dialog and text document toolbar are missing accessible names but have title attributes (this is being fixed for a near-future release) (see also WCAG 2.x Report 1.1.1).
5.1.3.7 Speech output for video information	Not applicable	TextAid has no closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.8 Masked entry	Not applicable	TextAid has no closed functionality.
5.1.3.9 Private access to personal data	Not applicable	TextAid has no closed functionality.
5.1.3.10 Non-interfering audio output	Not applicable	TextAid has no closed functionality.
5.1.3.11 Private listening volume	Not applicable	TextAid has no closed functionality.
5.1.3.12 Speaker volume	Not applicable	TextAid has no closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.13 Volume reset	Not applicable	TextAid has no closed functionality.
5.1.3.14 Spoken languages	Not applicable	TextAid has no closed functionality.
5.1.3.15 Non-visual error identification	Not applicable	TextAid has no closed functionality.
5.1.3.16 Receipts, tickets, and transactional outputs	Not applicable	TextAid has no closed functionality.
5.1.4 Functionality closed to text enlargement	Not applicable	All functionality is accessible via standard browser text enlargement features (e.g., zoom, Ctrl+/-). No functionality is closed to text enlargement.

Criteria	Conformance Level	Remarks and Explanations
5.1.5 Visual output for auditory information	Not applicable	TextAid has no closed functionality (including any that requires auditory information).
5.1.6 Operation without keyboard interface		
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Supports	All parts of TextAid can receive or lose focus by the same input type, such as mouse or keyboard (standard browser functionality).
5.1.7 Access without speech	Not applicable	TextAid has no closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.2 Activation of accessibility features	Supports	TextAid's accessibility features, such as text-to-speech, can be activated accessibly (via keyboard/screen reader).
5.3 Biometrics	Not applicable	TextAid does not use biological characteristics.
5.4 Preservation of accessibility information during conversion	Not applicable	TextAid doesn't convert information (such as documents), it only lets the user download the original document, or export a text that the user has written in TextAid.
5.5 Operable parts		

Criteria	Conformance Level	Remarks and Explanations
5.5.1 Means of operation	Not applicable	TextAid does not require grasping, pinching, or twisting of the wrist to operate.
5.5.2 Operable parts discernibility	Not applicable	TextAid does not have operable parts.
5.6 Locking or toggle controls		
5.6.1 Tactile or auditory status	Supports	Toggle switches in TextAid announce their status.
5.6.2 Visual status	Not applicable	All controls in TextAid provide visual status indicators. No controls rely solely on non-visual status.

Criteria	Conformance Level	Remarks and Explanations
5.7 Key repeat	Supports	TextAid does not require key repetition.
5.8 Double-strike key acceptance	Supports	All controls can be activated with a single keypress.
5.9 Simultaneous user actions	Supports	TextAid does not require simultaneous user actions.

[Clause 6: ICT with Two-Way Voice Communication](#)

Notes: This section has been skipped since the product does not include two-way voice communication.

[Clause 7: ICT with Video Capabilities](#)

Notes: This section has been skipped since the product does not include video capabilities.

Clause [8: Hardware](#)

Notes: This section has been skipped since the product does not include hardware.

Clause [9: Web](#) (see [WCAG 2.x section](#))

Clause [10: Non-Web Documents](#)

Notes: This section has been skipped since the product does not include non-web documents.

Clause [11: Software](#)

Notes: This section has been skipped since this product is not platform-specific software and covered by 9: Web.

Clause [12: Documentation and Support Services](#)

Notes: This ACR only documents TextAid itself, not its FAQ or other documentation. This section is not included.

Clause [13: ICT Providing Relay or Emergency Service Access](#)

Notes: This section has been skipped since the product does not provide Relay or Emergency Service Access.

Legal Disclaimer (ReadSpeaker)

This VPAT 2.5 Accessibility Conformance Report is provided for informational purposes only. The information provided is based on internal testing and evaluation and is believed to be accurate as of the date of publication.

The assessments and conclusions presented in this document are based on a good-faith effort to evaluate the product against the specified accessibility standards (WCAG 2.2, Section 508, EN 301 549). Due to the dynamic nature of software and digital content, and the complexities of accessibility testing, this document may not reflect all potential accessibility issues.

ReadSpeaker makes no representations or warranties, express or implied, regarding the completeness, accuracy, or reliability of the information in this document. We disclaim any liability for any direct, indirect, incidental, consequential, or special damages arising from the use of, or reliance on, this VPAT Accessibility Conformance Report.

We are committed to continuously improving the accessibility of our products. This document may be updated periodically to reflect changes in the product or new testing results. We encourage users to contact our support team for the most current information and to report any accessibility barriers they encounter.